COSHH PRODUCT ASSESSMENT (HS/CPA/071/03 August 2017)

The MSDS For This Product - Although It Is Not Specifically Required - Is Available from https://safetydata.ecolab.eu/

Product name and description:


Product classification: (Concentrated)



Product classification: (when diluted and in use)

PPE required (diluted):

PPE required (concentrated):



ECOBRITE SUPER SILEX LIQUID – Enzymatic one-shot laundry detergent.

Signal Word: Warning

<u>Causes skin irritation.</u> <u>Causes serious eye irritation.</u>







You MUST refer to the CPAs & Task Cards for your PPE requirements.

Not required under SDS. However **Gloves** are requirement for this product when used by ALL colleagues as per Compass policy and best practice.

 $\ \, \hbox{Eye/face protection (EN 166)}: \textbf{Safety glasses with side-shields} \\$

Hand protection (EN 374): Gloves

| Dilution: YES | ES No X | | |
|---------------|---------|--|--|
|---------------|---------|--|--|

| Procedure – Replacing/removing product and feed pipes. | | | |
|--|---|--|--|
| Stage 1 | Undo cap on empty bottle and carefully remove feed pipe | | |
| Stage 2 | Remove empty bottle and replace with new bottle | | |
| Stage 3 | Undo cap on new bottle and carefully place in feed pipe | | |
| Stage 4 | Tighten cap | | |
| Stage 5 | Place new cap on old bottle and dispose of or recycle | | |
| | Refer to the <u>Ecobrite Laundry Drum Change</u> Task Card for product application details. | | |
| | When removing or replacing trigger/feed pump ensure that correct PPE is used. | | |

| First Aid Information |
|-----------------------|
|-----------------------|

Product Concentrated

At Use Dilution

| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention. |
|--------------|---|
| Skin contact | Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Get medical attention if irritation develops and persists. |
| If inhaled | Get medical attention if symptoms occur. |
| If swallowed | Rinse mouth. Get medical attention if symptoms occur. |

Firefighting measures:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special requirements:

Store in a cool dry room. Do not mix with other chemicals.

Accidental Release Measures

- If an accidental release occurs ensure people and colleagues are moved away.
- Ensure the spill is dealt with by trained colleagues (i.e. know how to deal with spills and how to use spill kits) and wear appropriate PPE.
- Follow the Immediate Spill Response Plan contained within the Environment Toolkit and the Unit Managers Emergency Manual.
- If you have any queries please contact your HSE Manager or the HSE Helpline on 0121 457 5194.