COSHH PRODUCT ASSESSMENT (HS/CPA/037/03 August 2017)

The MSDS For This Product - Although It Is Not Specifically Required - Is Available from https://safetydata.ecolab.eu/

Product name and description:

Product classification: (in concentrate form)





Product classification: (when diluted and in use)

Not a hazardous substance or mixture.

| PPE required | (diluted): |
|--------------|------------|
|--------------|------------|

PPE required (concentrated):

| Activity time per shift: | 10 minutes | |
|---------------------------|-------------------------------|---|
| Users: | Only Trained Personnel | |
| Frequency of use or task: | Hourly | |
| | Daily | х |
| | Weekly | |
| | Monthly | |
| | Infrequent | |
| Persons exposed: | Users and persons in vicinity | |
| Susceptible workers: | N/A | |

GREASELIFT (Kitchen Pro) - Oven/Grill Cleaner. Manual process.

Signal Word: Danger







Causes severe skin burns and eye damage. May cause respiratory irritation.

You MUST refer to the CPAs & Task Cards for your PPE requirements.

Not required under SDS. However Gloves are requirement for this product when used by ALL colleagues as per Compass policy and best practice.

Eye/face protection (EN 166): Safety Goggles

Hand protection (EN 374): Gloves

| Dilution: YES X No 50ml of Greaselift in 600 ml of clean water | | | | |
|--|--|--|--|--|
| Procedure – Oven Cleaning | | | | |
| Stage 1 | Fill correctly labelled Spray Bottle with 600ml of clean water. Add 50ml Greaselift from dispenser (50ml per bottle set by Ecolab) | | | |
| Stage 2 | Turn off oven and allow to cool to 50°C | | | |
| | | | | |
| | Refer to the <u>Kitchen Pro Greaselift Oven and Grill</u> Task Card for product application details. | | | |
| | When removing or replacing trigger/feed pump ensure that correct PPE is used. | | | |

| First Aid Information: | |
|------------------------|--|
| Product Concentrated | |
| At Use Dilution | |

| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately. | Rinse with plenty of water. |
|--------------|--|---|
| Skin contact | Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately. | Rinse with plenty of water. |
| If inhaled | Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur. | Get medical attention if symptoms occur. |
| If swallowed | Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately. | Rinse mouth. Get medical attention if symptoms occur. |

Firefighting measures:

Special requirements:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Store in a cool dry room. Do not mix with other chemicals.

Accidental Release Measures

- If an accidental release occurs ensure people and colleagues are moved away.
- Ensure the spill is dealt with by trained colleagues (i.e. know how to deal with spills and how to use spill kits) and wear appropriate
- Follow the Immediate Spill Response Plan contained within the Environment Toolkit and the Unit Managers Emergency Manual.
- If you have any queries please contact your HSE Manager or the HSE Helpline on 0121 457 5194.