
## COSHH PRODUCT ASSESSMENT (HS/CPA/091/03 August 2017)

The MSDS For This Product – Although It Is Not Specifically Required - Is Available from https://safetydata.ecolab.eu/



shift:	10 minutes	
Users:	Only Trained Personnel	
Frequency of use or task:	Hourly	
	Daily	
	Weekly	
	Monthly	
	Infrequent	х
Persons exposed:	Users and persons in vicinity	
Susceptible workers:	N/A	

## Dilution: YES No X

Procedure – Dosing machine to wash textiles		
Stage 1	Dose as per machine manufacturer's instructions	
Stage 2	Using the scoop add 1 scoop to a 10kg machine wash load	
	Refer to the <u>Taxat Supra Gran – Laundry Washing</u> Task Card for product application details.	

First Aid Information:	
Product Concentrated	
At Use Dilution	

Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. Get medical attention.	
Skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 15 minutes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention.	
If inhaled	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. Get medical attention if adverse health effects persist or are severe.	
Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if adverse health effects persist or are severe.		

Firefighting measures:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special requirements:

Store in a cool dry room. Do not mix with other chemicals.

## Accidental Release Measures

- If an accidental release occurs ensure people and colleagues are moved away.
- Ensure the spill is dealt with by trained colleagues (i.e. know how to deal with spills and how to use spill kits) and wear appropriate PPE.
- Follow the Immediate Spill Response Plan contained within the Environment Toolkit and the Unit Managers Emergency Manual.
- If you have any queries please contact your HSE Manager or the HSE Helpline on 0121 457 5194.